# **SAFETY DATA SHEET**



**Product Name: OverCoat** 

Page: 1 of 7

This revision issued: November, 2025

### Section 1 - Identification of The Material and Supplier

Premier One Products Pty Ltd Unit 10, 11-13 Potter Close

Phone: 02 9756 2419 (office hours)

Fax:

Fax: 02 9756 2020

Wetherill Park, NSW 2164

Email: sales@premieroneproducts.com.au

Chemical nature: Water/IPA solution of ingredients.

Trade Name: OverCoat
Product Use: Tyre dressing.
Creation Date: August, 2005

This version issued: November, 2025 and is valid for 5 years from this date. Poisons Information Centre: Phone 13 1126 from anywhere in Australia.

#### Section 2 - Hazards Identification

### **Statement of Hazardous Nature**

This material is classified as hazardous according to the criteria of SWA GHS7 Australia



## **GHS7 Signal word:**

### Warning

### **Hazard Classification:**

Skin Corrosion/Irritation - Category 2 Eye Damage/Irritation - Category 2

### **Hazard Statements**

H315 Causes skin irritation. H320 Causes eye irritation.

### **Prevention Precautionary Statements**

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust, fume, gas, mist, vapours or spray.

P264 Wash hands, face and all exposed skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing including eye/face protection.

#### **Response Precautionary Statements**

P101 If medical advice is needed, have product container or label at hand.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse

## Storage Precautionary Statement Not allocated

**Disposal Precautionary Statement** 

#### SAFETY DATA SHEET

Issued by: Premier One Products Pty Ltd Phone: 02 9756 2419 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: OverCoat Page: 2 of 7

This revision issued: November, 2025

P501 Dispose of contents/container in accordance with local, regional, national and

international regulations.

Poison Schedule: Not Applicable DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

### **Emergency Overview**

Physical Description & Colour: Straw coloured liquid.

Odour: Characteristic odour.

Major Health Hazards: Eye irritant.

#### **Potential Health Effects**

#### Inhalation

**Short Term Exposure:** Significant inhalation exposure is considered to be unlikely. Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term inhalation.

#### **Skin Contact:**

**Short Term Exposure:** Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be mildly irritating, but is unlikely to cause anything more than mild discomfort which should disappear once contact ceases.

Long Term Exposure: No data for health effects associated with long term skin exposure.

### **Eye Contact:**

**Short Term Exposure**: Exposure via eyes is considered to be unlikely. This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Long Term Exposure: No data for health effects associated with long term eye exposure.

#### Ingestion:

**Short Term Exposure:** Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

#### Carcinogen Status:

**SWA:** No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP.

**IARC:** Isopropanol is Class 3 - unclassifiable as to carcinogenicity to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

### Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc,%
Isopropanol	67-63-0	21
Glycerine	56-81-5	10-30
Other non hazardous ingredients	secret	10-30
Water	7732-18-5	to 100

### **Section 4 - First Aid Measures**

### **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

#### **SAFETY DATA SHEET**

Issued by: Premier One Products Pty Ltd Phone: 02 9756 2419 (office hours)

Product Name: OverCoat Page: 3 of 7

This revision issued: November, 2025

**Skin Contact:** Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed, while holding the eyelid(s) open. Obtain medical advice immediately if irritation occurs. **Ingestion:** If product is swallowed or gets in mouth, wash mouth with water and give some water to drink. If

symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Notes to physician: Treat symptomatically. Effects may be delayed.

### **Section 5 - Fire Fighting Measures**

Hazchem Code: Not applicable.

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal

circumstances if it is involved in a fire.

Only small quantities of decomposition products are expected from this products at temperatures normally achieved in a fire. This will only occur

after heating to dryness.

Fire decomposition products from this product may be toxic if inhaled. Take

appropriate protective measures.

**Extinguishing Media:** Not Combustible. Use extinguishing media suited to burning materials. **Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire

brigade.

Flash point: Does not burn.
Flammability Class: Does not burn.

#### **Section 6 - Accidental Release Measures**

### Accidental release:

#### **LARGE SPILLS:**

Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8).

#### **SMALL SPILLS:**

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Can be slippery on floors, especially when wet. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

## **Section 7 - Handling and Storage**

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage**: Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

### **Section 8 - Exposure Controls and Personal Protection**

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

Isopropanol 983 1230

Glycerine 10 (mist) not set

#### **SAFETY DATA SHEET**

Product Name: OverCoat Page: 4 of 7

This revision issued: November, 2025

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Personal Protective Equipment:







**Ventilation:** No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that vapours and mists are minimised.

**Eye Protection:** Eye protection such as protective glasses or goggles is recommended when this product is being used.

**Skin Protection:** The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

**Protective Material Types:** There is no specific recommendation for any particular protective material type.

**Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

### **Section 9 - Physical and Chemical Properties:**

Physical Description & colour: Straw coloured liquid.

Odour: Characteristic odour.

Boiling Point: Below 100°C at 100kPa.

**Freezing/Melting Point:** No specific data. Liquid at normal temperatures. **Volatiles:** Water + IPA components.

**Vapour Pressure:** 2.37 kPa at 20°C (water vapour pressure).

Vapour Density: No data.
Specific Gravity: 1.016

Water Solubility: Completely soluble in water.

pH: 7 - 8
Volatility: No data.
Odour Threshold: No data.
Evaporation Rate: No data.
Coeff Oil/water Distribution: No data
Autoignition temp: Does not burn.

### **Section 10 - Stability and Reactivity**

**Reactivity:** This product is unlikely to react or decompose under normal storage conditions.

However, if you have any doubts, contact the supplier for advice on shelf life

properties.

Conditions to Avoid: None know Incompatibilities: No particu Fire Decomposition: Only small

Fire Decomposition:

Only small position protein temperatures normally achieved in a fire. To the fiter heating combustion is incomplete, carbon monoxide circumstances, oxides of nitrogen. Occasional cyanide gas. When the state of the fire temperature of the fire heating the heating the fire heating the heating

headache, weakness, nausea, dizziness, confusion, dimness of vision, di unconsciousness followed by coma and death.

**Polymerisation:** This product will not undergo polymerisation reactions.



### **SAFETY DATA SHEET**

**Product Name: OverCoat** Page: 5 of 7

This revision issued: November, 2025

## **Section 11 - Toxicological Information**

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

**Acute Effects** 

Inhalation: Material may be an irritant to mucous membranes and respiratory tract. Contact with skin may result in irritation. A skin sensitiser. Repeated or Skin contact:

prolonged skin contact may lead to allergic contact dermatitis.

Swallowing can result in nausea, vomiting and irritation of the gastrointestinal Ingestion:

tract.

Eye contact: An eye irritant.

**Acute toxicity** 

Inhalation: This material has been classified as not hazardous for acute inhalation.

exposure. Acute toxicity estimate (based on ingredients): LC50 > 20.0 mg/L

for vapours or LC50 > 5.0 mg/L for dust and mist

This material has been classified as not hazardous for acute dermal Skin contact:

exposure. Acute toxicity estimate (based on ingredients): LD50 > 2,000

mg/Kg bw

This material has been classified as not hazardous for acute ingestion Ingestion:

exposure. Acute toxicity estimate (based on ingredients): LD50 > 2,000

mg/Kg bw Corrosion/Irritancy:

this material has been classified as a Category 2A Hazard (reversible effects Eye:

to eyes).

Skin: this material has been classified as a Category 2 Hazard (reversible effects to

skin). Sensitisation:

Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this

material has been classified as a Category 1 Hazard (skin sensitiser).

**Aspiration hazard:** This material has been classified as not an aspiration hazard.

Specific target organ toxicity (single exposure): This material has been classified as not a specific

hazard to target organs by a single exposure.

Chronic Toxicity Mutagenicity: This material has been classified as not a mutagen. Carcinogenicity: This material has been classified as not a carcinogen.

Reproductive toxicity (including via lactation): This material has been classified as not a reproductive

toxicant.

Specific target organ toxicity (repeat exposure): This material has been classified as not a specific

hazard to target organs by repeat exposure.

### **Section 12 - Ecological Information**

#### Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as not hazardous for acute aquatic

exposure. Acute toxicity estimate (based on ingredients): > 100 mg/L

Long-term aquatic hazard: This material has been classified as not hazardous for chronic aquatic

exposure. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log Kow < 4.

**Ecotoxicity**: No information available. Persistence and degradability: No information

available.

#### SAFETY DATA SHEET

Issued by: Premier One Products Pty Ltd Phone: 02 9756 2419 (office hours)

Product Name: OverCoat Page: 6 of 7

This revision issued: November, 2025

Bio accumulative potential: No information available.

**Mobility**: No information available.

### **Section 13 - Disposal Considerations**

**Disposal:** This product may be recycled if unused, or if it has not been contaminated so as to

make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by some means. If neither of these options is suitable in-house,

contact a specialist waste disposal company.

### **Section 14 - Transport Information**

**ROAD AND RAIL TRANSPORT** Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

**MARINE TRANSPORT** Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

**AIR TRANSPORT** Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## **Section 15 - Regulatory Information**

### This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances) T

he Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

International Convention for the Prevention of Pollution from Ships (MARPOL)

### This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): Not Applicable.

AICIS Status: All components of this product are listed on or exempt from the Australian Inventory of Industrial Chemicals (AIIC)..

#### Section 16 - Other Information

### This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail, 7th Edition

AICS Australian Inventory of Chemical Substances
CAS Number Chemical Abstracts Service Registry Number

**Hazchem Code** Emergency action code of numbers and letters that provide information to emergency

services especially firefighters

IARC International Agency for Research on Cancer
SWA Safe Work Australia, formerly ASCC and NOHSC

NOS Not otherwise specified

NTP National Toxicology Program (USA)

R-Phrase Risk Phrase

SUSMP Standard for the Uniform Scheduling of Medicines & Poisons

**UN Number** United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

#### **SAFETY DATA SHEET**

Issued by: Premier One Products Pty Ltd Phone: 02 9756 2419 (office hours)

Product Name: OverCoat

Page: 7 of 7

This revision issued: November, 2025

This SDS is prepared in accord with the SWA GHS7